
CONNECTORS

PRODUCT CATALOG



2012

NETAFIM™
GROW MORE WITH LESS

CONTENTS

1) Introduction 3

2) Connectors technical data 4

3) Barb Connectors 5

4) Start Connectors 11

5) Barb Connectors for Micro Tubes 13

6) Barb Connectors for Mining 15

7) Fast Ring Connectors 17

8) Start Connectors ɔor Lay Flat Pipes & Spare Parts 21

9) Flare Connectors 22

10) Nut Twist Lock Connectors 26

11) Start Connectors for Polynet™ Pipes & Spare Parts 27

12) Polynet™ Connector Kits 28

13) Flatnet™ Suitable Connectors 30

Products appearing in this catalogue may be covered by one or more of the following US Patent No. 7644735 and other U.S. patents pending or corresponding issued or pending foreign patents.

All rights are reserved. You are specifically prohibited and not allowed to reproduce, copy, duplicate, manufacture, supply, sell, hire, distribute or adapt all or any part of this publication including any packaging. Netafim™, are trademarks of Netafim™ Ltd., registered in the U.S. and other countries.
We endeavor to provide accurate, quality and detailed information. However we cannot accept liability for your reliance on the provided information and you are advised to independently seek professional advice from Netafim™ and/or its authorized representatives. There is no undertaking by us that the provided information or any part thereof is accurate, complete or up to date .
Mention of third-party products is for informational purposes only and constitutes neither an endorsement nor a recommendation.
Netafim™ assumes no responsibility with regard to the performance or use of these products.
In no event shall Netafim™ be liable for any indirect, incidental, special or consequential damages.

INTRODUCTION

Netafim™ comprehensive range of pipe connector systems is made of high resistance and durability polymers. They are functional and viable, modeled under the highest market standards and available for all pipe types. Use the catalog to select the right line for your application: barb connectors, fast ring connectors, Flare connectors, Twist Lock connectors and a vast family of start and reducing connectors.



Barb connectors

Netafim™ has 4 connector sub-families for dripperlines: 12, 16, 17, and 20mm

Applications:

In thick walled dripperlines 0.9, 1.0 and 1.2mm

Benefits:

Relatively easy to install

UV resistant

Durable one-piece construction



Fast Ring connectors

These have been long-standing in the Netafim™ product line, invented and manufactured by Netafim™.

Applications:

In thin & medium walled dripperlines between 0.1mm (4mil) and 0.8mm (32mil)

Benefits:

Highly reliable connector

Very easy to handle

In certain models the connector is supplied in one piece (with rings assembled)

Easily released from the pipe when required

UV resistant



Flare connectors

A new connector family, manufactured at Netafim™ and innovative in the market

Applications:

In TWD , Medium WD & Thick walled dripperlines (2 different models of connectors) between 0.15 mm (6mil) and 1.2mm (47mil)

Benefits:

An extremely reliable connector (fastened by a nut)

Very short (the shortest possible) with minimal interference in the retrieval process.

Very narrow (slightly wider than the dripperline it holds) causing minimal interference with passage through mechanical tools.

Easily opened (when required).

Chemical resistant

UV resistant



Long nut connectors ("Twist Lock")

Applications

In TWD and Medium WD dripperlines between 0.1mm (4mil) and 0.8mm (32mil)

Benefits:

An extremely reliable connector (fastened by a nut)

Easily opened (when required)

Extremely long - when SDI is used and a dripperline happens to crack/ blow up needing cut off and repair, it will be relatively easy to connect both ends of the pipe using this connector.

CONNECTORS TECHNICAL DATA

	DRIPPERLINE		SUBSURFICE INSTALLATION		LAYOUT/RECOILING	REUSABLE
	INTERNAL DIAMETER	WALL THICKNESS	DEEP BURYING	SHALLOW BURYING		
Connectors for Thick walled dripperlines						
BARB						
12	10.2	1.0-1.2 mm	√	√	√	X
16	14.2	0.9-1.2 mm	√	√	√	X
17	14.6	1.2 mm	√	√	√	X
20	17.5	1.0-1.2 mm	√	√	√	X
BARB for MINING (VIOLET)						
12	10.2	1.0-1.2 mm	√	√	√	X
16	14.2	0.9-1.2 mm	√	√	√	X
17	14.6	1.2 mm	√	√	√	X
18	15.5	1.1 mm	√	√	√	X
20	17.5	1.0-1.2 mm	√	√	√	X
FLARE for HWD (ORANGE NUT)						
16-17	14.2-14.6	0.9-1.0 mm	X	√	√	√
20	17.5	0.9-1.0 mm	X	√	√	√
23	20.8	0.9-1.0 mm	X	√	√	√
Connectors for Thin/Medium walled dripperlines						
RING FAST CONN.						
16 blue ring	16.2	4-15 mil	X/√	√	X	√
16 black/white ring	15.5	20-25 mil	X/√	√	X	√
22 blue ring	22.2	8-15 mil	X/√	√	X	√
25 black ring	25.0	13.5-15 mil	X/√	√	X	√
FLARE for TWD (BLUE NUT)						
12	11.8	6-25 mil	X	√	√	√
16	16.2	4-20 mil	X	√	√	√
22	22.2	8-25 mil	X	√	√	√
25	25.0	13.5-15 mil	X	√	√	√
35	35.0	13.5-15 mil	X	√	√	√
TWIST LOCK (TWD)						
16	16.2	4-20mil	√	√	X/√	√
22	22.2	8-25mil	√	√	X/√	√
25	25.0	13.5-15 mil	√	√	X/√	√

√ Suitable
X Not suitable
X/√ Suitable but not recommended



12 MM BARB CONNECTORS FOR PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
10.2	1.0	39	3.5	Tiran™ 12010
10.2	1.2	47	4.0	Tiran™ 12012

DESCRIPTION	Coupling barb 12 x 12	
CATALOG NUMBERS	1 unit	32500-002200
	50 units/bag	32500-002220
	100 units/bag	32500-002230



DESCRIPTION	Elbow barb 12 x 12	
CATALOG NUMBERS	1 unit	32500-003200
	50 units/bag	32500-003220
	100 units/bag	32500-003230



DESCRIPTION	Straight barb 12 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-002300
	50 units/bag	32500-002306
	100 units/bag	



DESCRIPTION	Elbow barb 12 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-003300
	50 units/bag	32500-003320
	100 units/bag	



DESCRIPTION	"T" barb 12 x 2 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-002310
	50 units/bag	32500-002320
	100 units/bag	32500-002330



DESCRIPTION	Straight barb 12 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-002400
	50 units/bag	32500-002420
	100 units/bag	



DESCRIPTION	Elbow barb 12 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-003400
	50 units/bag	32500-003420
	100 units/bag	32500-003430



DESCRIPTION	"T" barb 12 x 12 x 12	
CATALOG NUMBERS	1 unit	32500-002500
	50 units/bag	32500-002520
	100 units/bag	32500-002530



DESCRIPTION	"8" line end 12 mm	
CATALOG NUMBERS	1 unit	32500-003500
	50 units/bag	32500-003520
	100 units/bag	32500-003530



DESCRIPTION	"Y" barb 12 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-002800
	50 units/bag	32500-002810
	100 units/bag	



DESCRIPTION	"W" barb 12 x 3 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-002820
	50 units/bag	32500-002840
	100 units/bag	



DESCRIPTION	Barb 12 x 3 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-002900
	50 units/bag	32500-002920
	100 units/bag	



DESCRIPTION	Barb 12 x 4 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-003000
	50 units/bag	32500-003020
	100 units/bag	



DESCRIPTION	Barb 12 x 6 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-003100
	50 units/bag	32500-003120
	100 units/bag	32500-003130





16 MM BARB CONNECTORS FOR PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.2	0.9	35	3.0	UniRam™ 16009, DripNet PC™ 16009, Tiran™ 16009
	1.0	39	3.5	UniRam™ 16010, DripNet PC™ 16010*, Tiran™ 16010
	1.2	47	4.0	UniRam™ 16012, DripNet PC™ 16012*, Tiran™ 16012

* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall tickness)

DESCRIPTION	Coupling barb 16 x 16	
CATALOG NUMBERS	1 unit	32500-010700
	50 units/bag	32500-010720
	100 units/bag	32500-010730



DESCRIPTION	Elbow barb 16 x 16	
CATALOG NUMBERS	1 unit	32500-012500
	50 units/bag	32500-012520
	100 units/bag	32500-012530



DESCRIPTION	Straight barb 16 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-010900
	50 units/bag	32500-010920
	100 units/bag	



DESCRIPTION	Elbow barb 16 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-012700
	50 units/bag	32500-012720
	100 units/bag	32500-012730



DESCRIPTION	"T" barb 16 x 2 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-011600
	50 units/bag	32500-011620
	100 units/bag	



DESCRIPTION	Straight barb 16 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-011000
	50 units/bag	32500-011020
	100 units/bag	32500-011030



DESCRIPTION	Elbow barb 16 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-012800
	50 units/bag	32500-012820
	100 units/ bag	32500-012830



DESCRIPTION	"T" barb 16 x 16 x 16	
CATALOG NUMBERS	1 unit	32500-011300
	50 units/bag	32500-011320
	100 units/bag	32500-011330



DESCRIPTION	"8" line end 16 mm	
CATALOG NUMBERS	1 unit	32500-013000
	50 units/bag	32500-013020
	100 units/bag	32500-013030



DESCRIPTION	"Y" barb 16 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-011200
	50 units/bag	32500-011220
	100 units/bag	32500-011230



DESCRIPTION	"W" barb16 x 3 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-012400
	50 units/bag	32500-012425
	100 units/bag	32500-012430



DESCRIPTION	"T" barb 16 x 2 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-011700
	50 units/bag	32500-011720
	100 units/bag	



DESCRIPTION	Barb 16 x 3 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-011900
	50 units/bag	32500-011920
	100 units/bag	



DESCRIPTION	Barb 16 x 4 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-012100
	50 units/bag	32500-012120
	100 units/bag	



DESCRIPTION	"T" barb 16 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011800 32500-011820	

DESCRIPTION	Barb 16 x 6 threaded female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012300 32500-012320	

DESCRIPTION	Barb 16 threaded loose female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011100	



17 MM BARB CONNECTORS FOR PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.6	1.2	47	4.0	UniRam™ 17012, Tiran™ 17012

DESCRIPTION	Coupling barb 17 x 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003800 32500-003810 32500-003820	

DESCRIPTION	"T" barb 17 x 17 x 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004900 32500-004920 32500-004930	

DESCRIPTION	Elbow barb 17 x 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005900 32500-005920 32500-005940	

DESCRIPTION	"8" line end 17 mm		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013000 32500-013020 32500-013030	

DESCRIPTION	"Cross" barb 17 x 17 x 17 x 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006300 32500-006320 32500-006330	

DESCRIPTION	Ring line end 17 mm (body & ring)		
CATALOG NUMBERS	100 units/bag	32500-007580	

DESCRIPTION	Straight barb 17 threaded male ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004400 32500-004430 32500-004440	

DESCRIPTION	"T" barb 17 x 2 threaded female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004700 32500-004720 32500-004730	

DESCRIPTION	Elbow barb 17 threaded male ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006000 32500-006020 32500-006030	

DESCRIPTION	"T" barb 17 x 2 threaded male ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004450	

DESCRIPTION	Straight barb 17 threaded male ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004490 32500-004492 32500-004493	

DESCRIPTION	Elbow barb 17 threaded male ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006100 32500-006120 32500-006130	

DESCRIPTION	"T" barb 17 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004800 32500-004820 32500-004830	

DESCRIPTION	"Y" barb 17 x 2 threaded male ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004460 32500-004475	

DESCRIPTION	"Y" barb 17 x 2 threaded male ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004600 32500-004620 32500-004630	

DESCRIPTION	"W" barb17 x 3 threaded male ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005200 32500-005220 32500-005230	

DESCRIPTION	Barb 17 x 3 threaded female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005100 32500-005120 32500-005130	

DESCRIPTION	Barb 17 x 4 threaded female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005300 32500-005320 32500-005330	

DESCRIPTION	Barb 17 x 6 threaded female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005400 32500-005420 32500-005430	

DESCRIPTION	"T" barb 17 x 2 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005500 32500-005520 32500-005530	

DESCRIPTION	Barb 17 x 3 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005600 32500-005610 32500-005620	

DESCRIPTION	Barb 17 x 4 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005700 32500-005710	

DESCRIPTION	Barb 17 x 6 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005800 32500-005810	

DESCRIPTION	"T" barb 17 x 2 threaded female ½"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005050 32500-005520 32500-005530	



20 MM BARB CONNECTORS FOR PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™™ dripperlines
17.5	1.0	39	3.5	UniRam™ 20010, DripNet PC™ 20010*, Tiran™ 20010
	1.2	47	4.0	UniRam™ 20012, DripNet PC™ 20012* , Tiran™ 20012

* DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper, not by the wall tickness)

DESCRIPTION	Coupling barb 20 x 20	
CATALOG NUMBERS	1 unit	32500-007600
	50 units/bag	32500-007620
	100 units/bag	32500-007630



DESCRIPTION	Elbow barb 20 x 20	
CATALOG NUMBERS	1 unit	32500-010000
	50 units/bag	32500-010020
	100 units/bag	32500-010030



DESCRIPTION	Straight barb 20 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-008000
	50 units/bag	32500-008020
	100 units/bag	32500-008030



DESCRIPTION	Elbow barb 20 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-014500
	50 units/bag	32500-014515
	100 units/bag	



DESCRIPTION	"T" barb 20 x 2 threaded male ½"	
CATALOG NUMBERS	1 unit	32500-014550
	50 units/bag	
	100 units/bag	



DESCRIPTION	Straight barb 20 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-008100
	50 units/bag	32500-008120
	100 units/bag	32500-008130



DESCRIPTION	Elbow barb 20 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-010100
	50 units/bag	32500-010110
	100 units/bag	



DESCRIPTION	"T" barb 20 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-008800
	50 units/bag	32500-008820
	100 units/bag	32500-008830



DESCRIPTION	"T" barb 20 x 20 x 20	
CATALOG NUMBERS	1 unit	32500-008400
	50 units/bag	32500-008420
	100 units/bag	32500-008430



DESCRIPTION	"8" line end 20 mm	
CATALOG NUMBERS	1 unit	32500-014400
	50 units/bag	32500-014420
	100 units/bag	32500-014430



DESCRIPTION	"Y" barb 20 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-008300
	50 units/bag	32500-008320
	100 units/bag	32500-008330



DESCRIPTION	"W" barb 20 x 3 threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-009000
	50 units/bag	32500-009020
	100 units/bag	32500-009030



DESCRIPTION	"T" barb 20 x 2 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-008900
	50 units/bag	32500-008920
	100 units/bag	32500-008930



DESCRIPTION	Barb 20 x 3 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-009100
	50 units/bag	32500-009120
	100 units/bag	32500-009130



DESCRIPTION	Barb 20 x 4 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-009200
	50 units/bag	32500-009220
	100 units/bag	32500-009230



DESCRIPTION	Barb 20 x 6 threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-009300
	50 units/bag	32500-009320
	100 units/bag	32500-009330



DESCRIPTION	"T" barb 20 x 2 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009400 32500-009420 32500-009430	

DESCRIPTION	Barb 20 x 3 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009500 32500-009520 32500-009530	

DESCRIPTION	Barb 20 threaded loose female ¾"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008270	

DESCRIPTION	Barb 20 x 4 threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009600 32500-009620 32500-009630	

DESCRIPTION	Outlet: barb 20 x 6 Inlet: threaded female 1"		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-009800 32500-009820 32500-009830	



12, 16, 17, 20 MM REDUCING CONNECTORS FOR PE PIPES

DESCRIPTION	Reducing coupling barb 12 barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32 500-010800 32 500-010820 32 500-010830	

DESCRIPTION	Reducing coupling barb 12 barb 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004100 32500-004120	

DESCRIPTION	Reducing coupling barb 12 barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007800 32500-007830	

DESCRIPTION	Reducing coupling barb 16 barb 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004250 32500-004260 32500-004270	

DESCRIPTION	Reducing coupling barb 16 barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007900 32500-007920 32500-007930	

DESCRIPTION	Reducing coupling barb 17 barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004300 32500-004315 32500-004330	

DESCRIPTION	Reducing "T" barb 12 x 2 barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002600 32500-002620 32500-002630	

DESCRIPTION	Reducing "T" barb 16 x 2 barb 12		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011400 32500-011420	

DESCRIPTION	Reducing "T" barb 16 x 2 barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011500 32500-011520	

DESCRIPTION	Reducing "T" barb 17 x 2 barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-005000 32500-005020	

DESCRIPTION	Reducing "T" barb 20 x 2 barb 12		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008500	

DESCRIPTION	Reducing "T" barb 20 x 2 barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008600 32500-008610 32500-008620	

DESCRIPTION	"T" barb /ring connector (body & 2 flat rings) flat ring 16 x 2 barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018800 32500-018820	

DESCRIPTION	"T" barb /ring connector (body & 2 flat rings) flat ring 16 x 2 barb 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018900	

DESCRIPTION	Elbow barb /ring connector (body & flat ring) flat ring 16 barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-012900 32500-012920	

DESCRIPTION	Elbow barb /ring connector (body & flat ring) flat ring 16 barb 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006400	



12, 16, 17, 20 MM INSERT START CONNECTORS FOR PVC PIPES

Recommended hole for barb start connectors:
1) 16 mm. in PVC pipe up to 4 mm. wall thickness
2) 16.5 mm. in PVC pipe with more than 4 mm. wall thickness
we recommend using the 'P' model at a flow rate of up to 800 l/h.

DESCRIPTION	Start connector for PVC barb 12 w/seal, model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003706	

DESCRIPTION	Start connector for PVC barb 16 w/seal, model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013770 32500-013785	

DESCRIPTION	Start connector for PVC barb 17 w/seal, model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006620 32500-006630	

DESCRIPTION	Start connector for PVC barb 20 w/seal, model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010470 32500-010485	

DESCRIPTION	Seal for start barb connector Model P		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010450 32500-010455 32500-010460	

DESCRIPTION	Start connector for PVC barb 12 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-024000	

DESCRIPTION	Start connector for PVC barb 16 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013700 32500-013720 32500-013730	

DESCRIPTION	Start connector for PVC barb 17 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006700 32500-006720 32500-006730	

DESCRIPTION	Start connector for PVC barb 20 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010300 32500-010330 32500-010340	

DESCRIPTION	Start elbow connector for PVC, barb 17 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006800 32500-006820	

DESCRIPTION	Seal for start connector Model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32000-007000 32000-007015	

DESCRIPTION	Start elbow connector for PVC, barb 16 w/seal, model T		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010615	

Photos show assembly with seal. Connectors are delivered with seals not assembled.



12, 16, 17, 20 MM START CONNECTORS FOR PE PIPES 20-75 MM

Recommended hole for barb start connectors: 8 mm

DESCRIPTION	Start connector for PE, barb 12		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003705 32500-003702	

DESCRIPTION	Start connector for PE, barb 20		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010350 32500-010370 32500-010380	

DESCRIPTION	Start connector for PE, barb 16		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013750 32500-013760 32500-013765	

DESCRIPTION	Start connector for PE, ring 16 (for thin walled dripperlines)		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-017770 32500-017785	

DESCRIPTION	Start connector for PE, barb 17		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006600 32500-006605 32500-006610	



12, 16, 17, 20 MM BAND START CONNECTORS FOR PE PIPES 32-50 MM

Recommended hole for 12, 16, 17 mm band start connectors: 16 mm, for 20 mm: 11 mm

DESCRIPTION	Barb 12 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-003600 32500-003620 32500-003630	

DESCRIPTION	Barb 17 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-006550 32500-006570	

DESCRIPTION	Barb 16 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013300 32500-013320 32500-013330	

DESCRIPTION	Barb 20 on saddle to assemble a bundled start connector		
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010200 32500-010220	

DESCRIPTION	Fast 16 on saddle to assemble a bundled start connector	
CATALOG NUMBERS	1 unit	32500-017800
	50 units/bag	32500-017820
	100 units/bag	32500-017830



DESCRIPTION	Plug on saddle to assemble a bundled plug	
CATALOG NUMBERS	1 unit	32500-013400
	50 units/bag	32500-013420
	100 units/bag	



DESCRIPTION	Seal to assemble a bundled start connector – 12, 16 & 17	
CATALOG NUMBERS	1 unit	32500-013900
	50 units/bag	32500-013920
	100 units/bag	32500-013930



DESCRIPTION	Seal to assemble a bundled start connector – 20	
CATALOG NUMBERS	1 unit	32500-010400
	50 units/bag	
	100 units/bag	



DESCRIPTION	Band to assemble a bundled start connector – 12 & 16	
CATALOG NUMBERS	1 unit	32500-014000
	50 units/bag	32500-014020
	100 units/bag	32500-014030



DESCRIPTION	Band to assemble a bundled start connector –17 & 20	
CATALOG NUMBERS	1 unit	32500-010500
	50 units/bag	32500-010520
	100 units/bag	





START SCREW CONNECTORS FOR PE PIPES 50-75 MM

Recommended hole for screw nut start connectors: 12 mm

DESCRIPTION	Start screw nut connector for PE, barb 17	
CATALOG NUMBERS	1 unit	32500-007100
	50 units/bag	32500-007120
	100 units/bag	32500-007130



DESCRIPTION	Start screw nut connector for PE, fast body w/o ring	
CATALOG NUMBERS	1 unit	32500-018500
	50 units/bag	32500-018510
	100 units/bag	32500-018520



DESCRIPTION	Start screw nut connector for PE, fast with blue ring (for thin walled dripperlines)	
CATALOG NUMBERS	1 unit	32500-018550
	50 units/bag	
	100 units/bag	32500-018560





8 MM BARB CONNECTORS FOR PE PIPES

Recommended hole: 3 mm

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
6.4	0.8	32	2.5	Microdrip 8

DESCRIPTION	Coupling barb 8 x 8	
CATALOG NUMBERS	1 unit	32500-002000
	50 units/bag	32500-002020
	100 units/bag	32500-002030



DESCRIPTION	Elbow barb 8 x 8	
CATALOG NUMBERS	1 unit	32500-001900
	50 units/bag	32500-001915
	100 units/bag	32500-001920



DESCRIPTION	Press fit male barb 8	
CATALOG NUMBERS	1 unit	32500-040000
	50 units/bag	
	100 units/bag	



DESCRIPTION	"T" barb 8 x 8 x 8	
CATALOG NUMBERS	1 unit	32500-002100
	50 units/bag	32500-002115
	100 units/bag	32500-002120



DESCRIPTION	Press fit female barb 8	
CATALOG NUMBERS	1 unit	32500-040100
	50 units/bag	
	100 units/bag	





5 MM BARB CONNECTORS FOR PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
3.2	0.8	32	2.5	3x5 blank micro-tube

DESCRIPTION	"T" barb 5 x 5 x 5	
CATALOG NUMBERS	1 unit	32500-001500
	50 units/bag	32500-001520
	100 units/bag	32500-001530
	1000 units/bag	32500-001540



DESCRIPTION	"T" barb 5 x 5 x 5 (brown)	
CATALOG NUMBERS	1 unit	32500-001600
	50 units/bag	32500-001620
	100 units/bag	



DESCRIPTION	Barb/Mth start connector 5 mm	
CATALOG NUMBERS	1 unit	32500-001100
	50 units/bag	32500-001110
	100 units/bag	
	1000 units/bag	32500-001140



DESCRIPTION	Barb/barb start connector 5 mm	
CATALOG NUMBERS	1 unit	32000-001900
	50 units/bag	32000-001920
	100 units/bag	32000-001930



DESCRIPTION	Male threaded 5 mm x 2 barb 5	
CATALOG NUMBERS	1 unit	32500-001300
	50 units/bag	32500-001320
	100 units/bag	32500-001330
	1000 units/bag	32500-001340



DESCRIPTION	Male threaded 5 mm x 2 barb 5 (brown)	
CATALOG NUMBERS	1 unit	32500-001400
	50 units/bag	
	100 units/bag	



DESCRIPTION	"T" barb Mth 5 x Mth 5 x Mth 5	
CATALOG NUMBERS	1 unit	32500-001700
	50 units/bag	32500-001720
	100 units/bag	32500-001730
	1000 units/bag	32500-001740



DESCRIPTION	"T" barb Mth 5 x Mth 5 x Mth 5 (brown)	
CATALOG NUMBERS	1 unit	32500-001800
	50 units/bag	32500-001820
	100 units/bag	32500-001830



Mth = Male threaded.

BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (VIOLET COLOR)

Max. working pressure: 3 bar with 1.2 mm wall thickness dripperlines

DESCRIPTION	Coupling barb 12 x 12	
CATALOG NUMBERS	1 unit	32500-002250
	50 units/bag	
	100 units/bag	32500-002270



DESCRIPTION	Coupling barb 16 x 16	
CATALOG NUMBERS	1 unit	32500-010680
	50 units/bag	32500-010685
	100 units/bag	32500-010690



DESCRIPTION	Coupling barb 17 x 17	
CATALOG NUMBERS	1 unit	32500-003900
	50 units/bag	32500-003915
	100 units/bag	32500-003930



DESCRIPTION	Coupling barb 18 x 18	
CATALOG NUMBERS	1 unit	32500-014217
	50 units/bag	
	100 units/bag	32500-014227



DESCRIPTION	Coupling barb 20 x 20	
CATALOG NUMBERS	1 unit	32500-007700
	50 units/bag	32500-007721
	100 units/bag	32500-007730



DESCRIPTION	Elbow barb 12 x 12	
CATALOG NUMBERS	1 unit	32500-003250
	50 units/bag	32500-003260
	100 units/bag	



DESCRIPTION	Elbow barb 16 x 16	
CATALOG NUMBERS	1 unit	32500-012480
	50 units/bag	
	100 units/bag	



DESCRIPTION	Elbow barb 17 x 17	
CATALOG NUMBERS	1 unit	32500-005970
	50 units/bag	
	100 units/bag	



DESCRIPTION	Elbow barb 18 x 18	
CATALOG NUMBERS	1 unit	32500-014261
	50 units/bag	
	100 units/bag	



DESCRIPTION	"T" barb 16 x 16 x 16	
CATALOG NUMBERS	1 unit	32500-011340
	50 units/bag	
	100 units/bag	



DESCRIPTION	Elbow barb 20 x 20	
CATALOG NUMBERS	1 unit	32500-010050
	50 units/bag	
	100 units/bag	



DESCRIPTION	"T" barb 12 x 12 x 12	
CATALOG NUMBERS	1 unit	32500-002533
	50 units/bag	
	100 units/bag	



BARB CONNECTORS 12, 16, 17, 18, 20 MM FOR MINING (VIOLET COLOR)

Max. working pressure: 3 bar with 1.2 mm wall thickness dripperlines

DESCRIPTION	Straight barb 12 threaded male ½"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002360



DESCRIPTION	Straight barb 16 threaded male ½"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010935



DESCRIPTION	Straight barb 16 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011050



DESCRIPTION	Straight barb 17 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004520 32500-004530



DESCRIPTION	Straight barb 18 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014150 32500-014170



DESCRIPTION	Straight barb 20 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008250



DESCRIPTION	"Y" barb 12 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-002750



DESCRIPTION	"Y" barb 16 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-011240



DESCRIPTION	"Y" barb 17 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-004650



DESCRIPTION	"Y" barb 18 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-014251



DESCRIPTION	"Y" barb 20 x 2 threaded male ¾"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-008350



DESCRIPTION	Reducing coupling barb 12 barb 16	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010870



Description	Start connector, barb 16, model P , without seal	
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-014120



DESCRIPTION	Reducing coupling barb 16 barb 20	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007790





16 MM RING CONNECTORS FOR THIN WALLED PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.10	4.0	0.60	Streamline™ 16040
	0.15	6.0	0.65	Streamline™ 16060,
	0.20	8.0	0.85	Streamline™ 16080, Super Typhoon™ 16080
	0.25	10.0	1.00	Streamline™ 16100, Super Typhoon™ 16100
	0.31	12.5	1.40	Streamline™ 16125, Super Typhoon™ 16125, DripNet PC™ 16125
	0.38	15.0	1.80	Streamline™ 16150, Super Typhoon™ 16150, DripNet PC™ 16150

DESCRIPTION	Fast coupling connector 16 w/blue rings	
CATALOG NUMBERS	1 unit	32500-016740
	50 units/bag	32500-016760
	100 units/bag	32500-016770



DESCRIPTION	Fast 16 x 3 w/blue rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-015500
	50 units/bag	
	100 units/bag	32500-015530



DESCRIPTION	Fast 16 x 2 w/blue rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-016520
	50 units/bag	32500-016525
	100 units/bag	32500-016530



DESCRIPTION	Fast 16 x 4 w/blue rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-015700
	50 units/bag	
	100 units/bag	32500-015730



DESCRIPTION	Fast 16 w/blue ring barb 16	
CATALOG NUMBERS	1 unit	32500-017040
	50 units/bag	32500-017060
	100 units/bag	32500-017070



DESCRIPTION	Fast 16 x 6 w/blue rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-016550
	50 units/bag	
	100 units/bag	32500-016570



DESCRIPTION	Fast 16 w/blue ring barb 17	
CATALOG NUMBERS	1 unit	32500-006200
	50 units/bag	32500-006220
	100 units/bag	



DESCRIPTION	Fast 16 w/blue ring threaded male ½"	
CATALOG NUMBERS	1 unit	32500-015100
	50 units/bag	
	100 units/bag	32500-015130



DESCRIPTION	Fast 16 line end w/blue ring	
CATALOG NUMBERS	1 unit	32500-016460
	50 units/bag	32500-016480
	100 units/bag	32500-016490



DESCRIPTION	Fast 16 w/blue ring threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-015250
	50 units/bag	32500-015270
	100 units/bag	32500-015280



DESCRIPTION	Blue ring 16	
CATALOG NUMBERS	1 unit	32500-017400
	50 units/bag	32500-017420
	100 units/bag	32500-017430



DESCRIPTION	Start for PE, on saddle, complete (band + body + seal + blue ring)	
CATALOG NUMBERS	1 unit	32500-018000
	50 units/bag	32500-018003
	100 units/bag	32500-018005





16 MM RING CONNECTORS FOR THIN/MEDIUM WALLED PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
15.5	0.5 0.6	20.0 25.0	2.0 2.8	Super Typhoon™ 16200, DripNet PC™ 16200 Super Typhoon™ 16250, DripNet PC™ 16250

DESCRIPTION	Fast coupling connector 16 w/o rings	
CATALOG NUMBERS	1 unit	32500-016720
	50 units/bag	32500-016730
	100 units/bag	



DESCRIPTION	Fast 16 line end w/o ring	
CATALOG NUMBERS	1 unit	32500-016450
	50 units/bag	
	100 units/bag	32500-016455



DESCRIPTION	Fast 16 x 2 w/o rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-015300
	50 units/bag	32500-015320
	100 units/bag	32500-015330



DESCRIPTION	Fast 16 w/o ring threaded male ½"	
CATALOG NUMBERS	1 unit	32500-015000
	50 units/bag	
	100 units/bag	



DESCRIPTION	Fast 16 x 3 w/o rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-015400
	50 units/bag	32500-015420
	100 units/bag	32500-015430



DESCRIPTION	Fast 16 w/o ring threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-015200
	50 units/bag	
	100 units/bag	



DESCRIPTION	Fast 16 x 4 w/blue rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-015600
	50 units/bag	
	100 units/bag	



DESCRIPTION	White ring 16 For MWD	
CATALOG NUMBERS	1 unit	32500-017600
	50 units/bag	32500-017620
	100 units/bag	32500-017630

DESCRIPTION	Fast 16 x 6 w/o rings threaded female ¾"	
CATALOG NUMBERS	1 unit	32500-015800
	50 units/bag	
	100 units/bag	32500-015830



DESCRIPTION	Black flat ring 16 For HWD	
CATALOG NUMBERS	1 unit	32000-006950
	50 units/bag	32000-006975
	100 units/bag	32000-006980



DESCRIPTION	Fast 16 w/o rings barb 16	
CATALOG NUMBERS	1 unit	32500-017020
	50 units/bag	32500-017030
	100 units/bag	





22 MM RING CONNECTORS FOR THIN WALLED PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.7	Python™ 22080, Streamline 22080
	0.25	10.0	0.9	Python™ 22100, Streamline 22100
	0.34	13.5	1.2	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.3	Python™ 22150, DripNet PC™ 22150

DESCRIPTION	Fast coupling connector 22 x 22 w/blue rings	
CATALOG NUMBERS	1 unit	32500-021300
	50 units/bag	
	100 units/bag	32500-021320



DESCRIPTION	Fast coupling connector 22 x 22 w/o rings	
CATALOG NUMBERS	1 unit	32500-020800
	50 units/bag	
	100 units/bag	



DESCRIPTION	Fast 22 w/blue ring barb 20	
CATALOG NUMBERS	1 unit	32500-021200
	50 units/bag	32500-021220
	100 units/bag	32500-021230



DESCRIPTION	Fast 22 w/o ring barb 20	
CATALOG NUMBERS	1 unit	32500-021100
	50 units/bag	
	100 units/bag	



DESCRIPTION	Fast 22 w/blue ring threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-021000
	50 units/bag	
	100 units/bag	32500-021020



DESCRIPTION	Fast 22 w/o ring threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-020900
	50 units/bag	
	100 units/bag	



DESCRIPTION	Blue ring 22	
CATALOG NUMBERS	1 unit	32500-022200
	50 units/bag	
	100 units/bag	





25 MM RING CONNECTORS FOR THIN WALLED PE PIPES

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34 0.38	13.5 15.0	1.1 1.0	Ozline™ 25135, DripNet PC™ 25135 Ozline™ 25150, DripNet PC™ 25150

DESCRIPTION	Fast coupling connector 25 x 25 w/black rings	
CATALOG NUMBERS	1 unit	32500-019600
	50 units/bag	32500-019630
	100 units/bag	32500-019650



DESCRIPTION	Fast 25 w/black ring barb 20	
CATALOG NUMBERS	1 unit	32500-020000
	50 units/bag	
	100 units/bag	32500-020050



DESCRIPTION	Fast 25 w/black ring threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-019800
	50 units/bag	32500-019840
	100 units/bag	32500-019850



DESCRIPTION	Fast coupling connector 25 x 25 w/o rings	
CATALOG NUMBERS	1 unit	32500-019500
	50 units/bag	
	100 units/bag	



DESCRIPTION	Fast 25 w/o ring barb 20	
CATALOG NUMBERS	1 unit	32500-019900
	50 units/bag	
	100 units/bag	



DESCRIPTION	Fast 25 w/o ring threaded male ¾"	
CATALOG NUMBERS	1 unit	32500-019700
	50 units/bag	
	100 units/bag	




DESCRIPTION	Black ring 25	
CATALOG NUMBERS	1 unit	32500-020100
	50 units/bag	
	100 units/bag	32500-020130





START CONNECTORS FOR LAY FLAT PIPES & SPARE PARTS

DESCRIPTION	LYF fast start connector 16 w/ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018045



DESCRIPTION	LYF fast start connector 22 w/ring	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018260 32500-018263



DESCRIPTION	LYF barb 16 start connector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013340



DESCRIPTION	LYF barb 17 start connector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007555 32500-007557



DESCRIPTION	LYF barb 20 start connector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010255 32500-010260



DESCRIPTION	LYF ¾" male threaded start connector	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018085



DESCRIPTION	PLN & LYF fast 16 w/o ring adapter FTH 1/2"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018065



DESCRIPTION	PLN & LYF fast 22 w/o ring adapter FTH 1/2"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018245



DESCRIPTION	PLN & LYF barb 16 adapter FTH 1/2"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-013380 32500-013390



DESCRIPTION	PLN & LYF barb 17 adapter FTH 1/2"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-007560 32500-007562



DESCRIPTION	PLN & LYF barb 20 adapter FTH 1/2"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-010275 32500-010280



DESCRIPTION	PLN & LYF ¾" male threaded adapter FTH 1/2"	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018095 32500-018098



DESCRIPTION	LYF nut 3/8 ID	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018075



DESCRIPTION	LYF nut 1/2 ID	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018255




Description	LYF repair device 3/8 ID – 1/2" male threaded	
Catalog numbers	1 unit 50 units/bag 100 units/bag	32500-018030



DESCRIPTION	LYF repair device 1/2 ID – ½" male threaded	
CATALOG NUMBERS	1 unit 50 units/bag 100 units/bag	32500-018035



DESCRIPTION	PLN & LYF fast 16 with assembly ring adapter FTH 1/2"	
CATALOG NUMBERS	100 units/bag	32500-018049



DESCRIPTION	PLN & LYF fast 22 with assembly ring adapter FTH 1/2"	
CATALOG NUMBERS	100 units/bag	32500-018268



12 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
11.8	0.15	6.0	1.4	Streamline™ 12060
	0.20	8.0	1.7	Streamline™ 12080
	0.31	12.5	2.5	Super Typhoon™ 12125 , DripNet PC™ 12125
	0.38	15.0	3.0	Super Typhoon™ 12150 , DripNet PC™ 12150
	0.50	20.0	3.0	Super Typhoon™ 12200 , DripNet PC™ 12200
	0.63	25.0	3.5	Super Typhoon™ 12250 , DripNet PC™ 12250*

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 12 x Flare 12	
CATALOG NUMBERS	10 units/bag	32500-027010
	100 units/bag	32500-027030
	1500 units/box	32500-027040



DESCRIPTION	End line Flare 12	
CATALOG NUMBERS	10 units/bag	32500-027310
	100 units/bag	32500-027330
	2500 units/box	32500-027340



DESCRIPTION	Flare 12 threaded male 1/2"	
CATALOG NUMBERS	10 units/bag	32500-027210
	100 units/bag	32500-027230



DESCRIPTION	Flare 12 barb 12	
CATALOG NUMBERS	10 units/bag	32500-027110
	100 units/bag	32500-027130
	2000 units/box	32500-027140



Each bag include 2 tightening wrenches

16 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.10	4.0	0.6	Streamline™ 16040
	0.15	6.0	0.8	Streamline™ 16060
	0.20	8.0	1.0	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.2	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.8	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	2.2	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150

DESCRIPTION	Coupling Flare 16 x Flare 16	
CATALOG NUMBERS	10 units/bag	32500-025005
	100 units/bag	32500-025020



DESCRIPTION	End line Flare 16	
CATALOG NUMBERS	10 units/bag	32500-025265
	100 units/bag	32500-025270



DESCRIPTION	Flare 16 threaded male 1/2"	
CATALOG NUMBERS	10 units/bag	32500-027670
	100 units/bag	32500-027700



DESCRIPTION	Flare 16 barb 16	
CATALOG NUMBERS	10 units/bag	32500-025230
	100 units/bag	32500-025250



DESCRIPTION	Elbow Flare 1/2"X16	
CATALOG NUMBERS	100 units/bag	32500-030900



DESCRIPTION	"T" Flare 16X1/2"X16	
CATALOG NUMBERS	100 units/bag	32500-033000



Each bag include 2 tightening wrenches



22 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.8	Python™ 22080, Streamline™ 22080
	0.25	10.0	1.0	Python™ 22100, Streamline™ 22010
	0.34	13.5	1.5	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.8	Python™ 22150, DripNet PC™ 22150

DESCRIPTION	Coupling Flare 22 x Flare 22		
CATALOG NUMBERS	10 units/bag	32500-028010	
	100 units/bag	32500-028030	

DESCRIPTION	End line Flare 22		
CATALOG NUMBERS	10 units/bag	32500-028260	
	100 units/bag	32500-028280	

DESCRIPTION	Flare 22 threaded male ¾"		
CATALOG NUMBERS	10 units/bag	32500-028210	
	100 units/bag	32500-028230	

DESCRIPTION	Flare 22 barb 20		
CATALOG NUMBERS	10 units/bag	32500-028110	
	100 units/bag	32500-028130	

DESCRIPTION	"T" 22X1/2"X22		
CATALOG NUMBERS	100 units/bag	32500-033500	

DESCRIPTION	Elbow Flare 22X1/2"		
CATALOG NUMBERS	100 units/bag	32500-031500	

Each bag include 2 tightening wrenches



25 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.2	Ozline™ 25135 , DripNet PC™ 25135
	0.38	15.0	1.4	Ozline™ 25150 , DripNet PC™ 25150

DESCRIPTION	Coupling Flare 25 x Flare 25		
CATALOG NUMBERS	10 units/bag	32500-028980	
	50 units/bag	32500-029000	

DESCRIPTION	End line Flare 25		
CATALOG NUMBERS	10 units/bag	32500-029380	
	50 units/bag	32500-029400	

DESCRIPTION	Flare 25 threaded male ¾"		
CATALOG NUMBERS	10 units/bag	32500-029180	
	50 units/bag	32500-029200	

Each bag include 2 tightening wrenches



35 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
35.0	0.34 0.38	13.5 15.0	0.70 0.80	Hydra™ 35135 Hydra™ 35150

DESCRIPTION	Coupling Flare 35 x Flare 35		
CATALOG NUMBERS	10 units/bag 20 units/bag	32500-029990 32500-030000	

DESCRIPTION	End line Flare 35		
CATALOG NUMBERS	10 units/bag 20 units/bag	32500-030390 32500-030400	

DESCRIPTION	Flare 35 threaded male ¾"		
CATALOG NUMBERS	10 units/bag 20 units/bag	32500-030190 32500-030200	

Each bag include 2 tightening wrenches



16-17 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
14.2-14.6	0.9 1.0	35 39	3.0 3.5	UniRam™ 16009, DripNet PC™ 16009, Tiran™ 16009 UniRam™ 16010, DripNet PC™ 16010*, Tiran™ 16010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 1617 x Flare 1617		
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-025480 32500-025500	

DESCRIPTION	Flare 16/17 Barb 16		
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-025525 32500-025530	

DESCRIPTION	Flare 1617 threaded male 1/2"		
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-025700 32500-025720	

DESCRIPTION	Flare 1617 threaded male 3/4"		
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-025900 32500-025920	

Each bag include 2 tightening wrenches

20 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
17.5	1.0	39	3.5	UniRam™ 20010 , DripNet PC™ 20010*, Tiran™ 20010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 20 x Flare 20	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-027830 32500-027850



Each bag include 2 tightening wrenches

DESCRIPTION	Flare 20 threaded male 3/4"	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-027950 32500-027970



DESCRIPTION	Falre 20 Barb 20	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-027865 32500-027870



23 MM FLARE CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
20.8	0.90 1.00	35.0 39.0	3.00 3.50	DripNet PC™ 23350 UniRam™ 23010

*DripNet PC™ maximum working pressure = 3.0 bar (defined by the dripper , not by the wall thickness)

DESCRIPTION	Coupling Flare 23 x Flare 23	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-028035 32500-028040



DESCRIPTION	End line Flare 23	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-029800 32500-029820



DESCRIPTION	Flare 23 threaded male 3/4"	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-029700 32500-029720



DESCRIPTION	Flare 23 barb 25	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-029740 32500-029760



Each bag include 2 tightening wrenches

FLARE REDUCING CONNECTORS

DESCRIPTION	Flare 12 x Flare 16	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-026070 32500-026100



DESCRIPTION	Flare 12 x Flare 1617	
CATALOG NUMBERS	10 units/bag 100 units/bag 800 units/box	32500-026220 32500-026250 32500-026270



DESCRIPTION	Flare 16 x Flare 22	
CATALOG NUMBERS	10 units/bag 100 units/bag	32500-026320 32500-026350



Each bag include 2 tightening wrenches



16 NUT TWIST LOCK CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
16.2	0.10	4.0	0.6	Streamline™ 16040
	0.15	6.0	0.8	Streamline™ 16060
	0.20	8.0	1.0	Streamline™ 16080 , Super Typhoon™ 16080
	0.25	10.0	1.2	Streamline™ 16100 , Super Typhoon™ 16100
	0.31	12.5	1.8	Streamline™ 16125 , Super Typhoon™ 16125 , DripNet PC™ 16125
	0.38	15.0	2.2	Streamline™ 16150 , Super Typhoon™ 16150 , DripNet PC™ 16150

DESCRIPTION	Coupling Nut 16 X Nut 16	
CATALOG NUMBERS	1 units	32500-016010



DESCRIPTION	Nut 16 threaded male ¾"	
CATALOG NUMBERS	1 units	32500-016030



DESCRIPTION	Nut 16 threaded male 1/2"	
CATALOG NUMBERS	1 units	32500-016020



DESCRIPTION	Nut twist x barb adaptor 16/17x16	
CATALOG NUMBERS	1 units	32500-016090



DESCRIPTION	Elbow nut 16 X MTH 1/2"	
CATALOG NUMBERS	1 units	32500-011380



DESCRIPTION	"T" 16 X1/2" MTH X 16	
CATALOG NUMBERS	1 units	32500-011370





22 NUT TWIST LOCK CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
22.2	0.20	8.0	0.85	Python™ 22080, Streamline™ 22080
	0.25	10.0	1.00	Python™ 22100, Streamline™ 22010
	0.34	13.5	1.40	Python™ 22135, DripNet PC™ 22135
	0.38	15.0	1.30	Python™ 22150, DripNet PC™ 22150
	0.63	25.0	2.50	DripNet 22250

DESCRIPTION	Coupling Nut 22 X Nut 22	
CATALOG NUMBERS	1 units	32500-018180



DESCRIPTION	Nut 22 threaded male ¾"	
CATALOG NUMBERS	1 units	32500-018185



DESCRIPTION	Elbow nut 22 X MTH 1/2"	
CATALOG NUMBERS	1 units	32500-014770



DESCRIPTION	Nut twist x barb adaptor 20x22	
CATALOG NUMBERS	1 units	32500-018210



DESCRIPTION	"T" 22 X1/2" MTH X 22	
CATALOG NUMBERS	1 units	32500-014750





25 NUT TWIST LOCK CONNECTORS

Pipe inside Ø (mm)	Wall thickness (mm)	(mil)	Max. working pressure (bar)	To fit Netafim™ dripperlines
25.0	0.34	13.5	1.10	Ozline™ 25135 , DripNet PC™ 25135
	0.38	15.0	1.00	Ozline™ 25150 , DripNet PC™ 25150
	0.63	25.0	1.50	Ozline™ 25250, DripNet PC™ 25250

DESCRIPTION	Coupling Nut 25 X Nut 25	
CATALOG NUMBERS	1 units	32500-019480



DESCRIPTION	Nut 25 threaded male ¾"	
CATALOG NUMBERS	1 units	32500-019485





START CONNECTORS FOR POLYNET™ PIPES & SPARE PARTS

DESCRIPTION	PLN fast start connector 16 w/ring
CATALOG NUMBERS	100 units/bag 32500-024450

DESCRIPTION	PLN ¾" male threaded start connector
CATALOG NUMBERS	100 units/bag 32500-024400

DESCRIPTION	PLN fast start connector 22 w/ring
CATALOG NUMBERS	100 units/bag 32500-024200

DESCRIPTION	PLN start connector Nut
CATALOG NUMBERS	100 units/bag 32500-024640

DESCRIPTION	PLN barb 16 start connector
CATALOG NUMBERS	100 units/bag 32500-024250

DESCRIPTION	PLN start connector threaded body
CATALOG NUMBERS	100 units/bag 32500-024610

DESCRIPTION	PLN barb 17 start connector
CATALOG NUMBERS	100 units/bag 32500-024300

DESCRIPTION	PLN barb 20 start connector
CATALOG NUMBERS	100 units/bag 32500-024350

DESCRIPTION	PLN repair start connector
CATALOG NUMBERS	50 units/bag 32500-024750

DESCRIPTION	PLN plug connector
CATALOG NUMBERS	50 units/bag 32500-024150

DESCRIPTION	FTN & PLN start connector
CATALOG NUMBERS	50 units/bag 32500-042300

POLYNET™ CONNECTOR KITS

COUPLING CONNECTION	CATALOG NO.	
2"/51 mm	43040-018000	
3"/78 mm	43040-018150	
4"/102 mm	43040-018300	
6"/160 mm	43020-010750	
8"/209 mm	43020-010800	
10"/260 mm	43020-010850	
12"/320 mm	43020-010900	Each kit includes 2 rubber gaskets and 2 metral rings
ELBOW CONNECTION		
2"/51 mm	43040-018900	
3"/78 mm	43040-019000	
4"/102 mm	43040-019100	
6"/160 mm	43020-016500	
8"/209 mm	43020-016550	
10"/260 mm	43020-016600	
12"/320 mm	43020-016650	Each kit includes 2 rubber gaskets and 2 metal rings
"T" CONNECTION		
2"/51 mm	43040-019500	
3"/78 mm	43040-019600	
4"/102 mm	43040-019700	
6"/160 mm	43020-016730	
8"/209 mm	43020-016770	
10"/260 mm	43020-016850	
12"/320 mm	43020-016920	Each kit includes 3 rubber gaskets and 3 metal rings
"T" TRANSITION CONNECTION		
3"-2"-3" (78 mm-51 mm-78 mm)	43040-020100	
4"-3"-4" (102 mm-78 mm-102 mm)	43040-020200	
8"-6"-8" (209 mm-160 mm-209 mm)	43020-016750	
10"-8"-10" (260 mm-209 mm-260 mm)	43020-016800	
12"-10"-12" (320 mm-260 mm-320 mm)	43020-016900	Each kit includes 3 rubber gaskets and 3 metal rings
BARB X MTH BSP ADAPTOR		
2"/50 mm	43040-018050	
3"/78 mm	43040-018200	
4"/102 mm	43040-018350	
BARB X PVC SW ISO ADAPTOR		
2"/50 mm - ISO 50/63	43040-018100	
3"/78 mm - ISO 75/90	43040-018250	
4"/102 mm - ISO 110	43040-018400	

POLYNET™ CONNECTOR KITS

TRANSITION CONNECTION		
2"/51 mm - 3"/78 mm	43040-020300	
3"/78 mm - 4"/102 mm	43040-020400	
4"/102 mm - 6"/160 mm	43020-016980	 Each kit includes 2 rubber gasket and 2 metal rings
6"/160 mm - 8"/209 mm	43020-017000	
8"/209 mm - 10"/260 mm	43020-017050	
10"/260 mm - 12"/320 mm	43020-017100	
FLANGE-BARB-FLANGE		
6"/160 mm	43020-013600	 Each kit includes 1 rubber gasket and 1 metal rings A flat wood drill bit and 2 metal support rings
8"/209 mm	43020-013620	
10"/260 mm	43020-013640	
FLANGE-BARB		
2"/51 mm	43040-030000	
3"/78 mmm	43040-030100	
4"/102 mm	43040-030200	
6"/160 mm	43020-012600	 Each kit includes 1 rubber gasket and 1 metal ring A flat wood drill bit and a metal support ring
8"/209 mm	43020-012620	
10"/260 mm	43020-012640	
12"/302 mm	43020-012645	
FLUSHING END LINE		
2"/51 mm	43020-030300	
3"/78 mm	43020-030400	
4"/102 mm	43020-030500	
6"/160 mm	43020-012780	 Each kit includes 1 rubber gasket and 1 metal ring
8"/209 mm	43020-012800	
10"/260 mm	43020-012820	
12"/302 mm	43020-012830	

FLATNET™ CONNECTORS

CATALOG NUMBER	PRODUCT DESCRIPTION	PRODUCT PICTURE
43040-018000 43040-018150 43040-018300	PLN/FTN Coupling Barb Con. 2" kit PLN/FTN Coupling Barb Con. 3" kit PLN/FTN Coupling Barb Con. 4" kit	
43040-018050 43040-018200 43040-018350	PLN/FTN Barb Con. 2" * MTH BSP 2" kit PLN/FTN Barb Con. 3" * MTH BSP 3" kit PLN/FTN Barb Con. 4" * MTH BSP 4" kit	
43040-018100 43040-018250 43040-018400	PLN/FTN Barb Con. 2" * SW ISO 50/63 kit PLN/FTN Barb Con. 2" * SW ISO 75/90 kit PLN/FTN Barb Con. 2" * SW ISO 110 kit	
43040-018900 43040-019000 43040-019100	PLN/FTN Elbow Barb Con 2" kit PLN/FTN Elbow Barb Con 3" kit PLN/FTN Elbow Barb Con 4" kit	
43040-019200 43040-019300 43040-019400	PLN/FTN Elbow Barb Con 2"*FTH BSP 2" kit PLN/FTN Elbow Barb Con 3"*FTH BSP 3" kit PLN/FTN Elbow Barb Con 4"*FTH BSP 4" kit	
43040-018600 43040-018700 43040-018800	PLN/FTN Barb Con. 2" * FTH BSP 2" kit PLN/FTN Barb Con. 3" * FTH BSP 3" kit PLN/FTN Barb Con. 4" * FTH BSP 4" kit	
43040-020500 43040-020600 43040-020700	PLN/FTN Cap Barb Con 2" kit PLN/FTN Cap Barb Con 3" kit PLN/FTN Cap Barb Con 4" kit	
43040-019500 43040-019600 43040-019700	PLN/FTN Tee Barb Con 2" kit PLN/FTN Tee Barb Con 3" kit PLN/FTN Tee Barb Con 4" kit	
43040-019800 43040-019900 43040-020000	PLN/FTN Tee Barb Con 2" * FTH BSP 2" kit PLN/FTN Tee Barb Con 3" * FTH BSP 3" kit PLN/FTN Tee Barb Con 4" * FTH BSP 4" kit	
43040-020100 43040-020200	PLN/FTN Tee Barb Con 3" * 2" * 3" kit PLN/FTN Tee Barb Con 4" * 3" * 4" kit	
43040-020300 43040-020400	PLN/FTN Reducer Barb Con 3" * 2" kit PLN/FTN Reducer Barb Con 4" * 3" kit	
43040-018500	PLN/FTN Barb Con. 4" * MTH BSP 3" kit	
43040-030000 43040-030100 43040-030200	PLN/FTN Barb con. 2" X Flange ISO 63 kit PLN/FTN Barb con. 3" X Flange ISO 90 kit PLN/FTN Barb con. 4" X Flange ISO 110 kit	

06-0612-SPR-CT-0004-EN

GROW MORE WITH LESS

WWW.NETAFIM.COM